



The **WerkMaster™ Model 1600C—Raptor** is slightly larger than the Europa, weighing in about 100 pounds heavier, it is designed to meet the needs of today's professional concrete polishing and restoration contractor. Powerful enough to grind, polish, edge and buff any concrete surface including terrazzo and all natural stone products.

Virtually eliminates edging as you can grind, polish, edge and buff to within **1/8" from the wall and under counter tops** right back to the kick plate!

Ideal for garage floor restoration, residential and small commercial applications, or as an edger on large commercial and industrial jobs, the **Raptor** features **WerkMaster's** Patent Pending **Octi-Disc Technology**. Its variable frequency drive allows you to run as slow as 950 rpm for buffing, then rev it up to become a high speed burnisher while edging, grinding and polishing as fast as **3500 rpm!**

Job too big, then Gang together 2 **Raptors** for an impressive **32 inch footprint** and **4.5 Square Feet of coverage! Twice the production – ½ the Labour!**

The **WerkMaster™ Model 1600C–Raptor** is designed to exceed the needs of today's professional commercial/residential/maintenance contractor. This is by far the most aggressive, powerful grinding/edging machine in it's class. No other machine can grind and edge concrete as fast as the **Raptor**. It's agile, easy to use, voraciously grinds through VCT glue, mastic, rubber back carpet residue, thinset, epoxy, paint, spalled or rained out concrete and any other surface material you may encounter.

Virtually eliminates edging as you can grind/polish and buff to within **1/8" of the wall and under counter tops** right back to the kick plate!

Use our **WerkMaster™ Dual Machine Ganging System** tying two machines together giving you **32" floor coverage** in one pass! **Twice the production – ½ the labour!**

---

## FEATURES

- Patent Pending Octi-Disc™ Technology
- Variable Frequency Drive
- Adjustable handle
- Dual action vacuum port for dry, dust-free pick-up
- Wet or dry grinding
- Internal tankless water feed system with needle valve flow control

## OPTIONAL ACCESSORIES

- WerkMaster Dual Machine Ganging System
- WerkMaster ULTRA-Pulse Vacuum System
- Twist-lock, non-marking extension cords with 20A plugs (50, 75 and 100 feet)
- Multi-use pigtail plugs to plug into either the range or the dryer

## SPECIFICATIONS

- 5 hp

- 30 amps
- Variable Frequency Drive
- 950 to 3500 rpm Disc Speed
- 270 lbs
- 4 3/4" Disc Size
- 16" Footprint