

# ONYX

TECHNOLOGY POWERING A CLEANER FUTURE



**FAST | SIMPLE | SAFE | RELIABLE**

## TABLE OF CONTENTS

Purpose and Mission Statement	03
DX15 Battery Autoscrubber	04-05
DX20 / DX20T Battery Autoscrubber	06-07
DX20C Battery Autoscrubber	08-09
DX26T Battery Autoscrubber	10-11
DX26C Battery Autoscrubber	12-13
DX32T Battery Autoscrubber	14-15
RX20 Ride-On Floor Scrubber	16-17
RX26 Ride-On Floor Scrubber	18-19
RX32 Ride-On Floor Scrubber	20-21
RX30C Ride-On Cylindrical Floor Scrubber	22-23
RX34 Ride-On Floor Scrubber	24-25
JXi Battery Floor Burnisher	26-27
SXi Lithium-Ion (LFP) Battery Burnisher	28-29
Battery Floor Machine Comparison	30-31
JX-600 Propane Floor Burnisher	32-33
JX-700 Propane Floor Burnisher	34-35
TX1 Propane Floor Stripper	36-37
TX7 Planetary Floor Machine	38-39
ZX7 Propane Floor Polisher	40-41
ZX30 Propane Planetary Floor Machine	42-43
Propane Floor Machine Comparison	44-45
Propane Engines	46-47



# ONYX

TECHNOLOGY POWERING A CLEANER FUTURE

## OUR PURPOSE



To provide technology powering a cleaner future.

## OUR MISSION

Is to innovate clean-power technology that helps our customers, and the communities they serve.

## OUR VISION

ONYX is leading the charge to power a cleaner future and actively reduce the worlds carbon footprint.



[onyxsolutions.com](https://onyxsolutions.com)  
[sales@onyxsolutions.com](mailto:sales@onyxsolutions.com)





# ONYX

TECHNOLOGY POWERING A CLEANER FUTURE



**DX15**  
BATTERY AUTOSCRUBBER

## FAST • SIMPLE • RELIABLE

Cleans up to 16,000 sq ft per hour | Ultra Low noise level | Maintenance free batteries



Cleaning Width	15" Brush with water containment skirt
Squeegee Width	24"
Performance	Up to 16,000 Sq Ft Per Hour
Vacuum Motor	500 watt
Sound Level	< 63 dBA
Pad Speed	180 RPM
Pad Size	15"
Run Time	3-4 Hours
Head Pressure	25 lbs
Solution Capacity	7 Gallons
Recovery Capacity	8 Gallons
Weight	205 lbs, Shipping Weight 300lbs
Battery Capacity	24 volt, 2 x 12v 125 Ah AGM Maintenance Free Batteries
Warranty	3 Years on Machine 90 Days On Wearable Parts
Frame	Powder Coated Reinforced Steel Frame & LDPE Body
Dimensions	24"W x 40"L x 41"H



### FAST

- Clean up to 16,000 sq ft per hour
- Tool-less easy pad removal
- Optimized runtime - Oversized solution tanks
- Floating brush skirt contains debris

### SIMPLE

- Single dashboard – simple controls
- Ultra-low noise level
- Maintenance free batteries
- Anti-vibration design
- Emergency stop button

### RELIABLE

- Heavy duty steel frame construction
- Fully sealed maintenance free batteries
- Heavy duty LDPE body
- Industrial grade bearings

### FACILITIES / USE CASES

- Convenience Stores & Gas Stations
- Restaurants
- Small Box Retail



# ONYX

TECHNOLOGY POWERING A CLEANER FUTURE



**DX20/DX20T**  
BATTERY AUTOSCRUBBER

## FAST • SIMPLE • RELIABLE

Cleans up to 24,000 sq ft per hour | Ultra Low noise level | Maintenance free batteries



Cleaning Width	20" Brush with water containment skirt
Vacuuming Width	32" Squeegee
Performance	Up to 24,000 Sq Ft Per Hour
Vacuum Motor	500 watt
Brush Head Motor	500 watt
Traction Drive Motor	200 watt
Sound Level	< 63 dBA
Pad Speed	180 RPM
Pad Size	20"
Run Time	3-4 Hours
Head Pressure	50-90 lbs, adjustable
Solution Capacity	14 Gallons
Recovery Capacity	16 Gallons
Weight	290 lbs, Shipping Weight 310lbs
Battery Capacity	12 volt, 125 Ah AGM Maintenance Free Batteries
Warranty	3 Years on Machine 90 Days On Wearable Parts
Frame	Powder Coated Reinforced Steel Frame & LDPE Body
Dimensions	20"W x 49"L x 44"H



### FAST

- Clean up to 24,000 sq ft per hour
- Tool-less easy pad removal
- Optimized runtime - Oversized solution tanks
- DX20T: Traction drive assist for effortless operation
- Floating brush skirt contains debris

### SIMPLE

- Single dashboard – simple controls
- Ultra-low noise level
- Maintenance free batteries
- Anti-vibration design

### RELIABLE

- Heavy duty steel frame construction
- Fully sealed maintenance free batteries
- Heavy duty LDPE body
- Industrial grade bearings

### FACILITIES / USE CASES

- Janitorial & Construction contractors
- Hospitals / School / Education
- Small Box Retail
- Rental



# ONYX

TECHNOLOGY POWERING A CLEANER FUTURE



**DX20C**

BATTERY AUTOSCRUBBER - CYLINDRICAL

## FAST • SIMPLE • RELIABLE

Cleans up to 24,000 sq ft per hour | Ultra Low noise level | Maintenance free batteries



Cleaning Width	20" Cylindrical Brushes with water containment skirt
Vacuuming Width	32" Squeegee
Performance	Up to 24,000 Sq Ft Per Hour
Vacuum Motor	500 watt
Brush Head Motor	550 watt
Traction Drive Motor	400 watt
Sound Level	< 63 dBA
Cylinder Brush Speed	620 RPM
Cylinder Brush Size	20" x 2
Run Time	3-4 Hours
Solution Capacity	14 Gallons
Recovery Capacity	16 Gallons
Weight	350 lbs, Shipping Weight 370lbs
Battery Capacity	12 volt, 125 Ah AGM Maintenance Free Batteries
Warranty	3 Years on Machine 90 Days On Wearable Parts
Frame	Powder Coated Reinforced Steel Frame & LDPE Body
Dimensions	20"W x 49"L x 44"H



## FAST

- Clean up to 24,000 sq ft per hour
- Tool-less easy pad removal
- Optimized runtime - Oversized solution tanks
- DX20T: Traction drive assist for effortless operation
- Floating brush skirt contains debris

## SIMPLE

- Single dashboard – simple controls
- Ultra-low noise level
- Maintenance free batteries
- Anti-vibration design

## RELIABLE

- Heavy duty steel frame construction
- Fully sealed maintenance free batteries
- Heavy duty LDPE body
- Industrial grade bearings

## FACILITIES / USE CASES

- Janitorial & Construction contractors
- Hospitals / School / Education
- Small Box Retail
- Rental



# ONYX

TECHNOLOGY POWERING A CLEANER FUTURE

**DX26T**  
BATTERY AUTOSCRUBBER



## FAST • SIMPLE • RELIABLE

Cleans up to 35,000 sq ft per hour | Ultra Low noise level | Maintenance free batteries



# DX26T TECHNICAL SPECIFICATIONS

ALL SCRUBBERS ARE  
SOLD STANDARD  
WITH PAD DRIVER  
AND BRUSH

Cleaning Width	26" with dual 13" Brushes, Containment Skirt
Vacuuming Width	42" Squeegee
Performance	Up to 35,000 Sq Ft Per Hour
Vacuum Motor	500 watt
Brush Head Motor	Dual 500 watt
Traction Drive Motor	500 watt
Sound Level	< 63 dBA
Pad Speed	180 RPM
Pad Size	13" x 2
Run Time	4-5 Hours
Head Pressure	100 lbs
Solution Capacity	17 Gallons
Recovery Capacity	23 Gallons
Weight	460 lbs, Shipping Weight 480lbs
Battery Capacity	24 volt, 4 x 6 volt 270 Ah AGM Maintenance Free Batteries
Warranty	3 Years on Machine 90 Days On Wearable Parts
Frame	Powder Coated Reinforced Steel Frame & LDPE Body
Dimensions	28"W x 53"L x 45"H



## FAST

- Clean up to 35,000 sq ft per hour
- Tool-less easy pad removal
- Optimized runtime - Oversized solution tanks
- Floating brush skirt contains debris

## SIMPLE

- Single dashboard – simple controls
- Ultra-low noise level
- Maintenance free batteries
- Anti-vibration design

## RELIABLE

- Heavy duty steel frame construction
- Fully sealed maintenance free batteries
- Heavy duty LDPE body
- Industrial grade bearings

## FACILITIES / USE CASES

- Janitorial & Construction contractors
- Industrial / Manufacturing
- Big Box Retail / Grocery
- Airports
- Schools / Education
- Rental

**ONYX**  
TECHNOLOGY POWERING A CLEANER FUTURE

12605 Commerce Station Dr • Suite 700  
Huntersville, NC 28078  
704.827.9368



[onyxsolutions.com](http://onyxsolutions.com)

# ONYX

TECHNOLOGY POWERING A CLEANER FUTURE

## DX26C

BATTERY AUTOSCRUBBER - CYLINDRICAL



## FAST • SIMPLE • RELIABLE

Cleans up to 35,000 sq ft per hour | Ultra Low noise level | Maintenance free batteries



Cleaning Width	26" with dual Cylindrical Brushes, Containment Skirt
Vacuuming Width	42" Squeegee
Performance	Up to 35,000 Sq Ft Per Hour
Vacuum Motor	500 watt
Brush Head Motor	Dual 500 watt
Traction Drive Motor	500 watt
Sound Level	< 63 dBA
Cylinder Brush Speed	620 RPM
Cylinder Brush Size	24" x 2
Run Time	4-5 Hours
Solution Capacity	17 Gallons
Recovery Capacity	23 Gallons
Weight	700 lbs, Shipping Weight 780lbs
Battery Capacity	24 volt, 4 x 6 volt 270 Ah AGM Maintenance Free Batteries
Warranty	3 Years on Machine 90 Days On Wearable Parts
Frame	Powder Coated Reinforced Steel Frame & LDPE Body
Dimensions	28"W x 53"L x 45"H



## FAST

- Clean up to 35,000 sq ft per hour
- Tool-less easy pad removal
- Optimized runtime - Oversized solution tanks
- Floating brush skirt contains debris

## SIMPLE

- Single dashboard – simple controls
- Ultra-low noise level
- Maintenance free batteries
- Anti-vibration design

## RELIABLE

- Heavy duty steel frame construction
- Fully sealed maintenance free batteries
- Heavy duty LDPE body
- Industrial grade bearings

## FACILITIES / USE CASES

- Janitorial & Construction contractors
- Industrial / Manufacturing
- Big Box Retail / Grocery
- Airports
- Schools / Education
- Rental



# ONYX

TECHNOLOGY POWERING A CLEANER FUTURE



**DX32T**  
BATTERY AUTOSCRUBBER

## FAST • SIMPLE • RELIABLE

Cleans up to 32,000 sq ft per hour | Ultra Low noise level | Maintenance free batteries



# DX32T TECHNICAL SPECIFICATIONS

ALL SCRUBBERS ARE  
SOLD STANDARD  
WITH PAD DRIVER  
AND BRUSH

Cleaning Width	32" with dual 16" Brushes, Containment Skirt
Vacuuming Width	42" Squeegee
Performance	Up to 43,000 Sq Ft Per Hour
Vacuum Motor	500 watt
Brush Head Motor	Dual 500 watt
Traction Drive Motor	500 Watt
Sound Level	< 63 dBA
Pad Speed	180 RPM
Pad Size	16" x 2
Run Time	4-5 Hours
Head Pressure	100 lbs
Solution Capacity	17 Gallons
Recovery Capacity	23 Gallons
Weight	460 lbs, Shipping Weight 480lbs
Battery Capacity	24 volt, 4 x 6 volt 270 Ah AGM Maintenance Free Batteries
Warranty	3 Years on Machine 90 Days On Wearable Parts
Frame	Powder Coated Reinforced Steel Frame & LDPE Body
Dimensions	33"W x 53"L x 45"H



## FAST

- Clean up to 43,000 sq ft per hour
- Tool-less easy pad removal
- Optimized runtime - Oversized solution tanks
- Floating brush skirt contains debris

## SIMPLE

- Single dashboard – simple controls
- Ultra-low noise level
- Maintenance free batteries
- Anti-vibration design

## RELIABLE

- Heavy duty steel frame construction
- Fully sealed maintenance free batteries
- Heavy duty LDPE body
- Industrial grade bearings

## FACILITIES / USE CASES

- Janitorial & Construction contractors
- Industrial / Manufacturing
- Big Box Retail / Grocery
- Airports
- Schools
- Rental



MORE INFORMATION

**ONYX**  
TECHNOLOGY POWERING A CLEANER FUTURE

12605 Commerce Station Dr • Suite 700  
Huntersville, NC 28078  
704.827.9368



[onyxsolutions.com](http://onyxsolutions.com)  
[sales@onyxsolutions.com](mailto:sales@onyxsolutions.com)

# ONYX

TECHNOLOGY POWERING A CLEANER FUTURE



**RX20**  
RIDE-ON FLOOR SCRUBBER

## FAST • SIMPLE • RELIABLE

Cleans up to 35,000 sq ft per hour | Ultra Low noise level | Maintenance free batteries



# RX20 TECHNICAL SPECIFICATIONS

ALL SCRUBBERS ARE  
SOLD STANDARD  
WITH PAD DRIVER  
AND BRUSH

Cleaning Width	20" brush with Containment Skirt
Vacuum Width	32" Squeegee
Performance	Up to 35,000 Sq Ft Per Hour
Vacuum Motor	500 watt
Brush Head Motor	500 watt
Traction Drive Motor	500 watt
Drive System	800 watt, RWD
Sound Level	< 63 dBA
Pad Speed	180 RPM
Pad Size	20"
Run Time	3-4 Hours
Head Pressure	100 lbs
Solution Capacity	17 Gallons
Recovery Capacity	20 Gallons
Weight	485 lbs, Shipping Weight 505lbs
Battery Capacity	24 volt, 2 x 12 volt 125 Ah AGM Maintenance Free Batteries
Warranty	3 Years on Machine 90 Days On Wearable Parts
Frame	Powder Coated Reinforced Steel Frame & LDPE Body
Dimensions	24"W x 49"L x 43"H



## FAST

- Clean up to 35,000 sq ft per hour
- Tool-less easy pad removal
- Optimized runtime - Oversized solution tanks
- Floating brush skirt contains debris
- Tight turn maneuverability

## SIMPLE

- Single dashboard – simple controls
- Ultra-low noise level
- Maintenance free batteries
- Anti-vibration design
- Emergency stop button

## RELIABLE

- Heavy duty steel frame construction
- Fully sealed maintenance free batteries
- Heavy duty LDPE body
- Industrial grade bearings

## FACILITIES / USE CASES

- Schools / Education
- Malls
- National Accounts
- Hospitals
- Big Box Retail / Warehouses

**ONYX**  
TECHNOLOGY POWERING A CLEANER FUTURE

12605 Commerce Station Dr • Suite 700  
Huntersville, NC 28078  
704.827.9368



MORE INFORMATION

[onyxsolutions.com](http://onyxsolutions.com)  
[sales@onyxsolutions.com](mailto:sales@onyxsolutions.com)



# ONYX

TECHNOLOGY POWERING A CLEANER FUTURE



## FAST • SIMPLE • RELIABLE

Cleans up to 46,000 sq ft per hour | Ultra Low noise level | Maintenance free batteries

Cleaning Width	26" with dual 13" Brushes, Containment Skirt
Vacuum Width	42" Squeegee
Performance	Up to 46,000 Sq Ft Per Hour
Vacuum Motor	500 watt
Brush Head Motor	Dual 500 watt
Drive System	800 watt, Single FWD
Sound Level	< 63 dBA
Pad Speed	180 RPM
Pad Size	13" x 2
Run Time	5-6 Hours
Head Pressure	100 lbs
Solution Capacity	25 Gallons
Recovery Capacity	34 Gallons
Weight	940 lbs, Shipping Weight 1,005lbs
Battery Capacity	24 volt, 4 x 6 volt 270 Ah AGM Maintenance Free Batteries
Warranty	3 Years on Machine 90 Days On Wearable Parts
Frame	Powder Coated Reinforced Steel Frame & LDPE Body
Dimensions	32"W x 53"L x 45"H



## FAST

- Clean up to 46,000 sq ft per hour
- Tool-less easy pad removal
- Optimized runtime - Oversized solution tanks
- Floating brush skirt contains debris
- Tight turn maneuverability

## SIMPLE

- Single dashboard – simple controls
- Ultra-low noise level
- Maintenance free batteries
- Anti-vibration design
- Emergency stop button
- Ergonomic / Adjustable Seat

## RELIABLE

- Heavy duty steel frame construction
- Fully sealed maintenance free batteries
- Heavy duty LDPE body
- Industrial grade bearings

## FACILITIES / USE CASES

- Schools / Education
- Malls
- National Accounts
- Hospitals
- Big Box Retail / Warehouses
- Venues / Events





# ONYX

TECHNOLOGY POWERING A CLEANER FUTURE



**RX32**  
RIDE-ON FLOOR SCRUBBER

## FAST • SIMPLE • RELIABLE

Cleans up to 56,000 sq ft per hour | Ultra Low noise level | Maintenance free batteries

Cleaning Width	32" with dual 16" Brushes, Containment Skirt
Vacuum Width	42" Squeegee
Performance	Up to 56,000 Sq Ft Per Hour
Vacuum Motor	500 watt
Brush Head Motor	Dual 500 watt
Traction Drive Motor	650 watt
Drive System	800 watt, Single FWD
Sound Level	< 63 dBA
Pad Speed	180 RPM
Pad Size	16" x 2
Run Time	5-6 Hours
Head Pressure	100 lbs
Solution Capacity	25 Gallons
Recovery Capacity	34 Gallons
Weight	950 lbs, Shipping Weight 1,015 lbs
Battery Capacity	24 volt, 4 x 6 volt 270 Ah AGM Maintenance Free Batteries
Warranty	3 Years on Machine 90 Days On Wearable Parts
Frame	Powder Coated Reinforced Steel Frame & LDPE Body
Dimensions	32"W x 53"L x 45"H



### FAST

- Clean up to 56,000 sq ft per hour
- Tool-less easy pad removal
- Optimized runtime - Oversized solution tanks
- Floating brush skirt contains debris
- Tight turn maneuverability

### SIMPLE

- Single dashboard – simple controls
- Ultra-low noise level
- Maintenance free batteries
- Anti-vibration design
- Emergency stop button
- Ergonomic / Adjustable Seat

### RELIABLE

- Heavy duty steel frame construction
- Fully sealed maintenance free batteries
- Heavy duty LDPE body
- Industrial grade bearings

### FACILITIES / USE CASES

- Schools / Education
- Malls
- National Accounts
- Hospitals
- Big Box Retail / Warehouses
- Venues / Events





# ONYX

TECHNOLOGY POWERING A CLEANER FUTURE



**RX30C**  
RIDE-ON FLOOR SCRUBBER

## FAST • SIMPLE • RELIABLE

Cleans up to 56,000 sq ft per hour | Ultra Low noise level | Maintenance free batteries

Cleaning Width	30" with dual Cylindrical Brushes, Containment Skirt
Vacuum Width	42" Squeegee
Performance	Up to 56,000 Sq Ft Per Hour
Vacuum Motor	500 watt
Brush Head Motor	Dual 500 watt
Drive System	800 watt, Single FWD
Sound Level	< 63 dBA
Cylinder Brush Speed	620 RPM
Cylinder Brush Size	28" x 2
Run Time	5-6 Hours
Solution Capacity	25 Gallons
Recovery Capacity	34 Gallons
Weight	950 lbs, Shipping Weight 1,015 lbs
Battery Capacity	24 volt, 4 x 6 volt 270 Ah AGM Maintenance Free Batteries
Warranty	3 Years on Machine 90 Days On Wearable Parts
Frame	Powder Coated Reinforced Steel Frame & LDPE Body
Dimensions	32"W x 53"L x 45"H



## FAST

- Clean up to 56,000 sq ft per hour
- Tool-less easy pad removal
- Optimized runtime - Oversized solution tanks
- Floating brush skirt contains debris
- Tight turn maneuverability

## SIMPLE

- Single dashboard – simple controls
- Ultra-low noise level
- Maintenance free batteries
- Anti-vibration design
- Emergency stop button
- Ergonomic / Adjustable Seat

## RELIABLE

- Heavy duty steel frame construction
- Fully sealed maintenance free batteries
- Heavy duty LDPE body
- Industrial grade bearings

## FACILITIES / USE CASES

- Schools / Education
- Malls
- National Accounts
- Hospitals
- Big Box Retail / Warehouses
- Venues / Events





# ONYX

TECHNOLOGY POWERING A CLEANER FUTURE



**RX34**  
RIDE-ON FLOOR SCRUBBER

## FAST • SIMPLE • RELIABLE

Cleans up to 62,500 sq ft per hour | Ultra Low noise level | Maintenance free batteries

# RX34 TECHNICAL SPECIFICATIONS

ALL SCRUBBERS ARE  
SOLD STANDARD  
WITH PAD DRIVER  
AND BRUSH

Cleaning Width	34" with dual 17" brushes, Containment Skirt
Vacuum Width	42" Squeegee
Performance	Up to 62,500 Sq Ft Per Hour
Vacuum Motor	500 watt
Brush Head Motor	Dual 500 watt
Traction Drive Motor	650 watt
Drive System	800 watt, Single FWD
Sound Level	< 63 dBA
Pad Speed	180 RPM
Pad Size	17" x 2
Run Time	5-6 Hours
Head Pressure	125 lbs
Solution Capacity	47 Gallons
Recovery Capacity	51 Gallons
Weight	1,270 lbs, Shipping Weight 1,350 lbs
Battery Capacity	36 volt, 6 x 6 volt 270 Ah AGM Maintenance Free Batteries
Warranty	3 Years on Machine 90 Days On Wearable Parts
Frame	Powder Coated Reinforced Steel Frame & LDPE Body
Dimensions	37"W x 67"L x 48"H



## FAST

- Clean up to 62,500 sq ft per hour
- Tool-less easy pad removal
- Optimized runtime - Oversized solution tanks
- Floating brush skirt contains debris
- Fast speed setting (transportation)

## SIMPLE

- Single dashboard – simple controls
- Ultra-low noise level
- Maintenance free batteries
- Anti-vibration design
- Emergency stop button

## RELIABLE

- Heavy duty steel frame construction
- Fully sealed maintenance free batteries
- Heavy duty LDPE body
- Industrial grade bearings

## FACILITIES / USE CASES

- Schools / Education
- Malls
- National Accounts
- Hospitals
- Big Box Retail / Warehouses
- Venues / Events

**ONYX**  
TECHNOLOGY POWERING A CLEANER FUTURE

12605 Commerce Station Dr • Suite 700  
Huntersville, NC 28078  
704.827.9368



[onyxsolutions.com](http://onyxsolutions.com)  
[sales@onyxsolutions.com](mailto:sales@onyxsolutions.com)



# ONLYX

TECHNOLOGY POWERING A CLEANER FUTURE



**JXi**  
BATTERY FLOOR BURNISHER

## ZERO EMISSION • QUIET • RELIABLE

Cleans up to 28,000 sq ft per hour | Ultra Low noise level | Maintenance free batteries

# JXi TECHNICAL SPECIFICATIONS

Cleaning Width	21". Dust collection system: Onboard vacuum and dust collection bag
Performance	Up to 28,000 Sq Ft Per Hour
Vacuum Motor	400 watt
Brush Head Motor	3HP, 2.2 kW
Sound Level	< 63 dBA
Pad Speed	2000 RPM
Pad Size	21"
Run Time	2 Hours
Head Pressure	8 - 50 lbs, adjustable
Weight	280 lbs, Shipping Weight 310lbs
Battery Capacity	36 volt, 175 Ah AGM Maintenance Free Batteries,
Warranty	3 Years on Machine 90 Days On Wearable Parts
Frame	Powder Coated Reinforced Steel Frame & LDPE Body
Dimensions	24"W x 64"L x 42"H



## FAST

- Best-in-class Productivity - Industry leading power
- Burnish up to 28,000 sq ft per hour
- Tool-less pad driver removal
- Quick wheel & handle adjustment
- Industry leading power

## CLEAN & SAFE

- Ultra-low noise level
- Anti-vibration isolators
- Watertight electrical enclosures
- Enclosed body
- Maintenance Free Batteries

## RELIABLE

- Fully sealed maintenance free batteries
- Industrial grade electrical connections
- Heavy duty steel construction
- Heavy duty LDPE body
- Industrial-grade bearings

## FACILITIES / USE CASES

- Construction Contractors
- Grocery
- Airports
- Schools
- Big Box Retail

**ONYX**  
TECHNOLOGY POWERING A CLEANER FUTURE

12605 Commerce Station Drive • Suite 700  
Huntersville, NC 28078  
704.827.9368



MORE INFORMATION

[onyxsolutions.com](http://onyxsolutions.com)  
[sales@onyxsolutions.com](mailto:sales@onyxsolutions.com)



APPROACHING  
PROPANE BURNISHER  
POWER & RUNTIME

# ONYX

TECHNOLOGY POWERING A CLEANER FUTURE



**SXi**

LFP LITHIUM-ION BATTERY BURNISHER

## ZERO EMISSION • POWERFUL • QUIET • RELIABLE

Burnish up to 34,000 sq ft per hour | Ultra Low noise level | Lithium-ion batteries



## TECHNICAL SPECIFICATIONS

APPROACHING  
PROPANE BURNISHER  
POWER & RUNTIME

Burnishing Width	27, 24, 21 inches
Motor Power	5 HP (3.75 kw)
System Voltage	72 V
Battery Technology	Lithium Iron Phosphate (LFP)
Battery Capacity (Single Battery)	60 AH = 4.32 kWh
Battery Capacity (Dual Battery)	120 AH = 8.64 kWh
Battery Weight	80 lbs per battery
Battery Life	2,500 cycles
Runtime (Single Battery)	2.0 Hrs*
Runtime (Dual Battery)	4.0 Hrs*
Battery Charge Time	4.8 Hrs per battery (zero-to-full charge)
Productivity	Up to 34,000 Sq Ft Per Hour
Pad Speed	1000 - 2000 RPM (variable)
Sound Level	<63 dBa
Pad Pressure (head weight)	8-50 lbs (variable)
Machine Dimensions	29"W x 64"L x 42"H
Machine Weight	245 lbs (1 battery), 325lbs (2 Batteries)
Water/Solution Tank	8 Gallons



\* Runtime based on 60% motor load

### FAST

- Burnish up to 34,000 sq ft per hour
- Adjustable pad pressure with fine-tune increments
- Variable motor/pad speed
- Fast Recharge Time

### SIMPLE

- Real time display of pad pressure, pad speed, remaining battery
- Onboard smart battery charger
- Onboard 8 gallon water tank
- Headlight illuminates working area
- Easy removable pad driver

### RELIABLE

- Easy handle adjustment
- Dust collection & containment
- Lithium Power
- Smart motor controller for efficient power delivery
- Ultra low noise and vibration
- Heavy duty steel frame construction

### FACILITIES / USE CASES

- Schools / Education
- Malls / Hospitals
- National Accounts
- Big Box Retail / Warehouses
- Venues / Events / Hospitality

**ONYX**  
TECHNOLOGY POWERING A CLEANER FUTURE

12605 Commerce Station Dr • Suite 700  
Huntersville, NC 28078  
704.827.9368



[onyxsolutions.com](https://onyxsolutions.com)  
[sales@onyxsolutions.com](mailto:sales@onyxsolutions.com)



# BATTERY FLOOR MACHINES

## DX15



## DX20 DX20T



## DX20C



Cleaning Width	15" Brush	20" Brush	20" Cylindrical
Squeegee Width	24"	32"	32"
Performance	Up to 16,000 Sq Ft Per Hour	Up to 24,000 Sq Ft Per Hour	Up to 24,000 Sq Ft Per Hour
Vacuum Motor	500 watt	500 watt	500 watt
Sound Level	< 63 dBA	< 63 dBA	< 63 dBA
Pad/Cylinder Speed	180 RPM	180 RPM	620 RPM
Pad/Cylinder Size	15"	20"	20" x 2
Run Time	3-4 Hours	3-4 Hours	3-4 Hours
Head Pressure	25 lbs	50-90 lbs	
Solution Capacity	7 Gallons	14 Gallons	14 Gallons
Recovery Capacity	8 Gallons	16 Gallons	16 Gallons
Weight	205 lbs	290 lbs	350 lbs
Battery Capacity	24 volt, 2 x 12v 125 Ah	12 volt, 125 Ah	12 volt, 125 Ah
Dimensions	24"W x 40"L x 41"H	20"W x 49"L x 44"H	20"W x 49"L x 44"H

## DX26T



## DX26C



## DX32T



Cleaning Width	26" Brush	26" Cylindrical	32" Brush
Squeegee Width	42"	42"	42"
Performance	Up to 35,000 Sq Ft Per Hour	Up to 35,000 Sq Ft Per Hour	Up to 43,000 Sq Ft Per Hour
Vacuum Motor	500 watt	500 watt	500 watt
Sound Level	< 63 dBA	< 63 dBA	< 63 dBA
Pad/Cylinder Speed	180 RPM	620 RPM	180 RPM
Pad/Cylinder Size	13" x 2	24" x 2	16" x 2
Run Time	4-5 Hours	4-5 Hours	4-5 Hours
Head Pressure	100 lbs		100 lbs
Solution Capacity	17 Gallons	17 Gallons	17 Gallons
Recovery Capacity	23 Gallons	23 Gallons	23 Gallons
Weight	460 lbs	700 lbs	460 lbs
Battery Capacity	24 volt, 4 x 6v 270 Ah	24 volt, 4 x 6v 270 Ah	24 volt, 4 x 6v 270 Ah
Dimensions	28"W x 53"L x 45"H	28"W x 53"L x 45"H	33"W x 53"L x 45"H

# BATTERY FLOOR MACHINES

## RX20



## RX26



## RX32



Cleaning Width	20" Brush	26" Brush	32" Brush
Squeegee Width	32"	42"	42"
Performance	Up to 35,000 Sq Ft Per Hour	Up to 46,000 Sq Ft Per Hour	Up to 56,000 Sq Ft Per Hour
Vacuum Motor	500 watt	500 watt	500 watt
Sound Level	< 63 dBA	< 63 dBA	< 63 dBA
Pad/Cylinder Speed	180 RPM	180 RPM	180 RPM
Pad/Cylinder Size	20"	13" x 2	16" x 2
Run Time	3-4 Hours	5-6 Hours	5-6 Hours
Head Pressure	100 lbs	100 lbs	100 lbs
Solution Capacity	17 Gallons	25 Gallons	25 Gallons
Recovery Capacity	20 Gallons	34 Gallons	34 Gallons
Weight	485 lbs	940 lbs	950 lbs
Battery Capacity	24 volt, 2 x 12v 125 Ah	24 volt, 4 x 6v 270 Ah	24 volt, 4 x 6v 270 Ah
Dimensions	24"W x 49"L x 43"H	32"W x 53"L x 45"H	32"W x 53"L x 45"H

## RX30C



## RX34



## 5Xi



Cleaning Width	30" Brush	34" Brush	27", 24", or 21" Brush
Squeegee Width	42"	42"	27"
Performance	Up to 56,000 Sq Ft Per Hour	Up to 62,500 Sq Ft Per Hour	Up to 34,000 Sq Ft Per Hour
Vacuum Motor	500 watt	500 watt	500 watt
Sound Level	< 63 dBA	< 63 dBA	< 63 dBA
Pad/Cylinder Speed	620 RPM	180 RPM	1000-2000 RPM
Pad/Cylinder Size	28" x 2	17" x 2	27", 24", 21"
Run Time	5-6 Hours	5-6 Hours	2-4 Hours
Head Pressure		125 lbs	8-50 lbs
Solution Capacity	25 Gallons	47 Gallons	8 Gallons
Recovery Capacity	34 Gallons	51 Gallons	10 Gallons
Weight	950 lbs	1,270 lbs	245 lbs
Battery Capacity	24 volt, 4 x 6v 270 Ah	36 volt, 6 x 6v 270 Ah	72 volt, 120 Ah
Dimensions	32"W x 53"L x 45"H	37"W x 67"L x 48"H	29"W x 64"L x 42"H



# ONYX

TECHNOLOGY POWERING A CLEANER FUTURE



**JX-600**  
**JXP-600**  
PROPANE FLOOR BURNISHER

## FAST • CLEAN • SAFE • RELIABLE

Burnish up to 34,000 sq ft per hour | Ultra Low noise level | Industry leading power

# JX-600 TECHNICAL SPECIFICATIONS

Burnishing Width	21", 24", or 27", Dust Containment Skirt & 2.5" Vacuum Port Installed
Engine	603cc 17 HP, LPG Fuel System, EPA Certified
Performance	Up to 34,000 Sq Ft Per Hour
Sound Level	< 87 dBA
Pad Speed	1200 to 2100 RPM
Pad Size	21", 24" & 27" Pad Drivers / Easy pad removal
Run Time	6 Hours Per 20 lb Cylinder
Dimensions	28"W x 53"L x 40-48"H adjustable
Frame	Powder Coated Reinforced Steel
Weight	280 lbs, Shipping Weight 310lbs
Ignition System	12v Electric Start
Fuel Tank	20lb Steel with Overfill Protection Device Installed
Warranty	3 Years On Engine 1 Year on Machine 90 Days On Wearable Parts.

**JXP Model** Emission Monitoring System, Electric Clutch, Microfiber Vacuum Bags



## FAST

- Best-in-class Productivity - Industry leading power
- Burnish up to 34,000 sq ft per hour
- 3-in-1 Configuration:
  - Quick change head design (21", 24", 27")
  - Superior operator versatility
- Tool-less pad driver removal
- Quick wheel & handle adjustment

## CLEAN

- Qualifies for Near Zero Emission (NZE) contract bids
  - Certified 100x below EPA Carbon Monoxide standards
  - Lowest carbon emissions in its class, by 53%
- On-board real-time emissions monitoring
- Anti-vibration isolators
- Low tone noise reduction muffler
- Floating brush skirt contains dust
- Lightweight and easy to handle/lift (lift handle optional)

## RELIABLE

- Fuel system requires no adjustments
- Internal vaporizer eliminates regulator freezing
- In-line fuel filter
- Lead free lithium-ion battery
- Heavy duty steel construction
- Renben industrial-grade bearings

## FACILITIES / USE CASES

- Construction Contractors
- Grocery
- Airports
- Schools
- Big Box Retail

**ONYX**  
TECHNOLOGY POWERING A CLEANER FUTURE

12605 Commerce Station Dr • Suite 700  
Huntersville, NC 28078  
704.827.9368



MORE INFORMATION

[onyxsolutions.com](http://onyxsolutions.com)  
[sales@onyxsolutions.com](mailto:sales@onyxsolutions.com)



# ONYX

TECHNOLOGY POWERING A CLEANER FUTURE



**JX-700**  
**JXP-700**  
PROPANE FLOOR BURNISHER

## FAST • CLEAN • SAFE • RELIABLE

Burnish up to 34,000 sq ft per hour | Ultra Low noise level | Industry leading power

# JX-700 TECHNICAL SPECIFICATIONS

Burnishing Width	21", 24", or 27", Dust Containment Skirt & 2.5" Vacuum Port Installed
Engine	708cc 19 HP, LPG Fuel System, EPA Certified
Performance	Up to 34,000 Sq Ft Per Hour
Sound Level	< 87 dBA
Pad Speed	1200 to 2100 RPM
Pad Size	21", 24" & 27" Pad Drivers / Easy pad removal
Run Time	6 Hours Per 20 lb Cylinder
Dimensions	28"W x 53"L x 40-48"H adjustable
Frame	Powder Coated Reinforced Steel
Weight	295 lbs, Shipping Weight 325lbs
Ignition System	12v Electric Start
Fuel Tank	20lb Steel with Overfill Protection Device Installed
Warranty	3 Years On Engine 1 Year on Machine 90 Days On Wearable Parts.



**JXP Model** Emission Monitoring System, Electric Clutch, Microfiber Vacuum Bags

## FAST

- Best-in-class Productivity - Industry leading power
- Burnish up to 34,000 sq ft per hour
- 3-in-1 Configuration:
  - Quick change head design (21", 24", 27")
  - Superior operator versatility
- Tool-less pad driver removal
- Quick wheel & handle adjustment

## CLEAN

- Qualifies for Near Zero Emission (NZE) contract bids
  - Certified 100x below EPA Carbon Monoxide standards
  - Lowest carbon emissions in its class, by 53%
- On-board real-time emissions monitoring
- Anti-vibration isolators
- Low tone noise reduction muffler
- Floating brush skirt contains dust
- Lightweight and easy to handle/lift (lift handle optional)

## RELIABLE

- Fuel system requires no adjustments
- Internal vaporizer eliminates regulator freezing
- In-line fuel filter
- Lead free lithium-ion battery
- Heavy duty steel construction
- Renben industrial-grade bearings

## FACILITIES / USE CASES

- Construction Contractors
- Grocery
- Airports
- Schools
- Big Box Retail

**ONYX**  
TECHNOLOGY POWERING A CLEANER FUTURE

12605 Commerce Station Dr • Suite 700  
Huntersville, NC 28078  
704.827.9368



MORE INFORMATION

[onyxsolutions.com](http://onyxsolutions.com)  
[sales@onyxsolutions.com](mailto:sales@onyxsolutions.com)



# ONYX

TECHNOLOGY POWERING A CLEANER FUTURE



**TX1**  
PROPANE FLOOR STRIPPER


## FAST • CLEAN • RELIABLE

Strip, Grind & Polish up to 8,000 sq ft per hour | Ultra Low noise level | Industry Leading Power



# TX1 TECHNICAL SPECIFICATIONS

Width	21" with HDPE Splash Guard Floating Skirt
Performance	Up to 8,000 Sq Ft Per Hour
Engine	708cc 19HP, LPG Fuel System, EPA Certified
Sound Level	87 dBA
Pad Speed	540-1080 RPM
Pad Size	21" Strip Brush Included (pad driver optional)
Run Time	6 Hours Per 20lb Cylinder
Frame	Powder Coated Reinforced Steel
Dimensions	21"W x 53"L x 40-48"H adjustable
Weight	450 lbs, Shipping Weight 480lbs
Ignition System	12v Electric Start
Fuel Tank	20lb Steel with Overfill Protection Device Installed
Warranty	3 Years on Engine, 1 Year on Machine, 90 Days on Wearable Parts
Water Tank	8 Gallon Gravity Feed Water System



## FAST

- Strip up to 8,000 sq ft per hour
- Headlight illuminates working area
- On-board water system boosts productivity
- 21" single head stripper; maneuverable and versatile; easy to use in tight spaces

## CLEAN

- Qualifies for Near zero emission (NZE) contract bids
  - *Certified 100x below EPA Carbon Monoxide stds*
  - *Lowest carbon emissions in its class, by 53%*
- Floating brush skirt contains dust
- Lightweight and easy to handle/lift
- Ultra Low noise level
- Anti-vibration design
- On-board real-time emissions monitoring with SAM Safe Air Monitor

## RELIABLE

- Heavy duty steel construction
- Industrial grade high temp bearings
- Industrial grade drive shaft

## FACILITIES / USE CASES

- Construction contractors
- Industrial / Manufacturing
- Grocery
- Big Box Retail / Warehouses
- Airports
- Schools / Education
- Rental

**ONYX**  
TECHNOLOGY POWERING A CLEANER FUTURE

12605 Commerce Station Dr • Suite 700  
Huntersville, NC 28078  
704.827.9368



MORE INFORMATION

[onyxsolutions.com](http://onyxsolutions.com)  
[sales@onyxsolutions.com](mailto:sales@onyxsolutions.com)



# ONYX

TECHNOLOGY POWERING A CLEANER FUTURE



**TX7**  
PLANETARY FLOOR MACHINE

## FAST • CLEAN • RELIABLE

Strip up to 10,000 sq ft per hour | Ultra Low noise level | Industry Leading Power



# TX7 TECHNICAL SPECIFICATIONS

Width	27" w/ HDPE Splash Guard Floating Skirt
Performance	Up to 10,000 Sq Ft Per Hour
Engine	708cc 19 HP, LPG Fuel System, EPA Certified
Sound Level	87 dBA
Pad Speed	540-1080 RPM
Pad Size	3 - 10" Drivers/Brushes
Run Time	6 Hours Per 20lb Cylinder
Frame	Powder Coated Reinforced Steel
Dimensions	30"W x 53"L x 40-48"H adjustable
Weight	450 lbs, Shipping Weight 480lbs
Ignition System	12v Electric Start
Fuel Tank	20lb Steel with Overfill Protection Device Installed
Warranty	3 Years on Engine, 1 Year on Machine, 90 Days on Wearable Parts
Water Tank	8 Gallon Gravity Feed Water System



## FAST

- Strip up to 10,000 sq ft per hour
- Tool-less easy pad removal
- Headlight illuminates working area
- On-board water system boosts productivity
- 27" Three disc planetary design eliminates torque on the operator for exceptional ease of use

## CLEAN

- Qualifies for Near zero emission (NZE) contract bids
  - *Certified 100x below EPA Carbon Monoxide stds*
  - *Lowest carbon emissions in its class, by 53%*
- Floating brush skirt contains dust
- Ultra Low noise level
- Anti-vibration design
- On-board real-time emissions monitoring with SAM Safe Air Monitor

## RELIABLE

- Heavy duty steel frame construction
- Industrial grade high temp bearings
- Industrial grade drive shaft

## FACILITIES / USE CASES

- Construction contractors
- Industrial / Manufacturing
- Grocery
- Big Box Retail / Warehouses
- Airports
- Schools / Education
- Rental

**ONYX**  
TECHNOLOGY POWERING A CLEANER FUTURE

12605 Commerce Station Dr • Suite 700  
Huntersville, NC 28078  
704.827.9368



MORE INFORMATION

[onyxsolutions.com](http://onyxsolutions.com)  
[sales@onyxsolutions.com](mailto:sales@onyxsolutions.com)



# ONYX

TECHNOLOGY POWERING A CLEANER FUTURE



**ZX7**  
PROPANE FLOOR POLISHER

## FAST • CLEAN • RELIABLE

Polishes up to 34,000 sq ft per hour | Ultra Low noise level | Industry leading power

# ZX7 TECHNICAL SPECIFICATIONS

Cleaning Width	27", Dust Containment Skirt & 2.5" Vacuum Port Installed
Engine	708cc 19 HP, LPG Fuel System, EPA Certified
Performance	Up to 34,000 Sq Ft Per Hour
Sound Level	< 87 dBA
Pad Speed	1200 to 2100 RPM
Pad Size	27" Pad Drivers / Easy pad removal
Run Time	6 Hours Per 20 lb Cylinder
Dimensions	28"W x 53"L x 40-48"H adjustable
Frame	Powder Coated Reinforced Steel
Weight	295 lbs, Shipping Weight 325lbs
Ignition System	12v Electric Start
Fuel Tank	20lb Steel with Overfill Protection Device Installed
Water Tank	8 Gallons
Warranty	3 Years On Engine 1 Year on Machine 90 Days On Wearable Parts.



## FAST

- Best-in-class Productivity - Industry leading power
- Burnish up to 34,000 sq ft per hour
- Tool-less pad driver removal
- Quick wheel & handle adjustment

## CLEAN

- Qualifies for Near Zero Emission (NZE) contract bids
  - Certified 100x below EPA Carbon Monoxide standards
  - Lowest carbon emissions in its class, by 53%
- On-board real-time emissions monitoring
- Anti-vibration isolators
- Low tone noise reduction muffler
- Floating brush skirt contains dust
- Lightweight and easy to handle/lift (lift handle optional)

## RELIABLE

- Fuel system requires no adjustments
- Internal vaporizer eliminates regulator freezing
- In-line fuel filter
- Lead free lithium-ion battery
- Heavy duty steel construction
- Renben industrial-grade bearings

## FACILITIES / USE CASES

- Construction Contractors
- Grocery
- Airports
- Schools
- Big Box Retail

**ONYX**  
TECHNOLOGY POWERING A CLEANER FUTURE

12605 Commerce Station Dr • Suite 700  
Huntersville, NC 28078  
704.827.9368



[onyxsolutions.com](http://onyxsolutions.com)  
[sales@onyxsolutions.com](mailto:sales@onyxsolutions.com)



# ONYX

TECHNOLOGY POWERING A CLEANER FUTURE

## All-In-One Floor Maintenance Machine



Configurable to:  
Grind, Polish,  
Rejuvenate,  
Strip, & Burnish

**ZX30**  
PROPANE PLANETARY FLOOR MACHINE

## FAST • SIMPLE • RELIABLE • VERSATILE

Polish up to 27,000 sq ft per hour | Industry Leading Power | All-In-One Floor Maintenance Machine

# ZX30 TECHNICAL SPECIFICATIONS

Grinding Polishing Width	30 inches
Engine	708cc 19 HP, LPG Fuel System, EPA Certified
Productivity	Up to 27,000 Sq Ft Per Hour
Planetary System	3 head, driven (active) planetary
Grinding/Polishing Plates	11 inch diameter
Plate Speed	530-2300 RPM
Planetary Rotation Ratio	12:1 rotations of plate per big disk
Grinding tooling/puck qty	3 or 6 per plate = 9 or 18 total
Head Weight	70-250 lb
Water Tank	12 Gal
Sound Level	<87 dBa
Machine Dimensions	34"W x 75"L x 42"H
Machine Weight	420 lb



## FAST

- Polish up to 27,000 sq ft per hour
- Can operate with pads, grinding tooling, polishing pucks, stripping brushes
- Interchangeable center pulley for wide range of rotational speed
- Multi-position swing weight system to add working weight
- Wide range of speed and weight allows for tremendous versatility: from heavy grinding to fast polishing

## SIMPLE

- Pivoting head insures planetary system rides flush on floor
- Dual pivoting handle for max adjustability and comfort
- Front transport wheel (jockey wheel) for easy transport
- Transport wheel conveniently stores away on machine during normal operation
- Quick tooling change

## RELIABLE

- Heavy duty 10" aluminum wheels - with easy height adjustment
- Industrial and oversized bearings and shafts
- Oversized belt and pulleys for extended belt life
- Fully sealed belt chambers to keep dust, water, slurry out
- Heavy duty steel frame construction

## FACILITIES / USE CASES

- Schools / Education
- Malls
- National Accounts
- Big Box Retail / Warehouses
- Venues / Events
- Construction / Concrete Prep

**ONYX**  
TECHNOLOGY POWERING A CLEANER FUTURE

12605 Commerce Station Dr • Suite 700  
Huntersville, NC 28078  
704.827.9368



MORE INFORMATION

[onyxsolutions.com](http://onyxsolutions.com)  
[sales@onyxsolutions.com](mailto:sales@onyxsolutions.com)



# PROPANE FLOOR MACHINES

## JX-600



## JX-700



## TX1



Burnishing Width	21", 24", or 27"	21", 24", or 27"	21"
Engine	603cc 17 HP	708cc 19 HP	708cc 19 HP
Performance	Up to 34,000 Sq Ft Per Hour	Up to 34,000 Sq Ft Per Hour	Up to 8,000 Sq Ft Per Hour
Sound Level	< 87 dBA	< 87 dBA	< 87 dBA
Pad Speed	1200 to 2100 RPM	1200 to 2100 RPM	1200 to 2100 RPM
Pad Size	21", 24" & 27"	21", 24" & 27"	21", 24" & 27"
Run Time	6 Hours Per 20 lb Cylinder	6 Hours Per 20 lb Cylinder	6 Hours Per 20 lb Cylinder
Dimensions	28"W x 53"L x 40-48"H	28"W x 53"L x 40-48"H	21"W x 53"L x 40-48"H
Frame	Powder Coated Reinforced Steel	Powder Coated Reinforced Steel	Powder Coated Reinforced Steel
Weight	280 lbs	295 lbs	450 lbs
Ignition System	12v Electric Start	12v Electric Start	12v Electric Start
Fuel Tank	20lb Steel with Overfill Protection Device Installed	20lb Steel with Overfill Protection Device Installed	20lb Steel with Overfill Protection Device Installed

## TX7



## ZX7



## ZX30




Burnishing Width	27"	27"	30"
Engine	708cc 19 HP	708cc 19 HP	708cc 17 HP
Performance	Up to 10,000 Sq Ft Per Hour	Up to 34,000 Sq Ft Per Hour	Up to 27,000 Sq Ft Per Hour
Sound Level	< 87 dBA	< 87 dBA	< 87 dBA
Pad Speed	540 to 1080 RPM	1200 to 2100 RPM	530 to 2300 RPM
Pad Size	10" x 3	27"	30"
Run Time	6 Hours Per 20 lb Cylinder	6 Hours Per 20 lb Cylinder	6 Hours Per 20 lb Cylinder
Dimensions	30"W x 53"L x 40-48"H	28"W x 53"L x 40-48"H	34"W x 75"L x 42"H
Frame	Powder Coated Reinforced Steel	Powder Coated Reinforced Steel	Powder Coated Reinforced Steel
Weight	450 lbs	295 lbs	420 lbs
Ignition System	12v Electric Start	12v Electric Start	12v Electric Start
Fuel Tank	20lb Steel with Overfill Protection Device Installed	20lb Steel with Overfill Protection Device Installed	20lb Steel with Overfill Protection Device Installed

# ONYX

TECHNOLOGY POWERING A CLEANER FUTURE

## PROPANE ENGINES

- ⚡ *POWERFUL*
- 💧 *CLEAN*
- ⚙️ *EASY START*
- 💰 *ECONOMICAL*



**BOOST PRODUCTIVITY**  
**LOWER COSTS**  
**CLEAN AIR POWER**



# PROPANE ENGINES & CONVERSIONS



MODEL:	LX600	LX700	LX900	LX1000
Type:	Air-cooled, V-Twin OHV	Air-cooled, V-Twin OHV	Air-cooled, V-Twin OHV	Air-cooled, V-Twin OHV
Power:	17hp (12.7 kW)	19hp (14.0 kW)	27hp (20kW)	31hp (22.9 kW)
Size:	603cc Vertical Shaft	708cc Vertical Shaft	852cc Vertical Shaft	999cc Vertical Shaft
Bore x Stroke:	73mm x 72mm	77mm x 76mm	84.5mm x 76mm	84.5mm x 76mm
Fuel:	LPG Propane	LPG Propane	LPG Propane	LPG Propane
Fuel System:	Variable Venturi	Fixed Venturi & Jet with Butterfly Throttle	Fixed Venturi & Jet with Butterfly Throttle	Fixed Venturi & Jet with Butterfly Throttle
Propane Cylinder:	Liquid or Vapor Draw	Vapor Draw	Liquid or Vapor Draw	Liquid or Vapor Draw
Starter Type:	Electric 12v	Heavy Duty Electric 12v	Heavy Duty Electric 12v	Heavy Duty Electric 12v
Oil Capacity:	2 Liters	2.4 Liters	2.4 Liters	2.4 Liters
Dry Weight:	81 lbs.	93 lbs.	125 lbs.	130 lbs.
Air Cleaner:	Dual Element	Heavy Duty Canister	Heavy Duty Canister	Heavy Duty Canister
Muffler:	Low Tone Catalytic	Low Tone Catalytic	Low Tone Catalytic	Low Tone Catalytic
Crankshaft	1" Keyed PTO	1" Keyed PTO	1-1/8" Keyed PTO	1-1/8" Keyed PTO


## Propane Engine Conversion Kits

Brand	Kawasaki	Kawasaki	Kawasaki	Kawasaki
Engine Model:	FS481V, FS541V, FS600V, FX481V, FX541V, FX600V	FS651V, FS691V, FS730V	FX651V, FX691V, FX730V	FX751V, FX801V, FX850V
Kit Part Number:	EK-KA603FX/FS	EK-KA726FS	EK-KA726FX	EK-KA852FX




## Application Specific Conversion Kits

Brand	John Deere	John Deere	John Deere	John Deere
Model:	TX Gator	HPX Gator	QuikTrak Mowers	ZTrac Mowers
Kit Part Number:	CK-10104	CK-10103	Contact local Deere dealer for more info	Contact local Deere dealer for more info



MODEL:	LX500	HX500	HX800
Type	Air-cooled, OHV	Air-cooled, OHV	Air-cooled, V-twin OHV
Orientation	Vertical Shaft	Horizontal Shaft	Horizontal Shaft
Power	14 HP (10.5kW)	13 HP (9.5kW)	23 HP (17 kW)
Displacement	452cc	460cc	764cc
Bore x Stroke	92 mm x 68 mm	92 mm x 69 mm	80 mm x 76 mm
Fuel System	3-Stage regulation	3-Stage regulation	3-Stage regulation
Fuel Type	LPG Vapor	LPG Vapor	LPG Vapor & Liquid
Starter	Heavy Duty 12V Electric	Heavy Duty 12V Electric	Heavy Duty 12V Electric
Oil Capacity	1.2 Liters	1.1 Liters	1.8 Liters
Dry Weight	68 lb	68 lb	108 lb
Air Cleaner	Dual Element	Dual Element	Heavy Duty Canister OR Integrated/Slim
Muffler	Low Tone Catalytic	Low Tone Catalytic	Low Tone Catalytic
Cylinder	Single, Hardened Cast Ironed	Single, Hardened Cast Ironed	V-Twin, Hardened Cast Iron
Crankshaft	1" Keyed PTO	1" Keyed PTO	1-1/8 Keyed PTO







12605 Commerce Station Drive • Suite 700  
Huntersville, NC 28078  
704.827.9368



[onyxsolutions.com](http://onyxsolutions.com)  
[sales@onyxsolutions.com](mailto:sales@onyxsolutions.com)