

# ONYX®



PRODUCT  
CATALOG

THE FUTURE STARTS WITH YOU

# Table of Contents

Our Vision, Mission and Soul	03
Floor Scrubbers	04-05
Rotary Floor Scrubbers	06-07
Cylindrical Scrubbers	08-09
Lithium-ion Power	10-11
SXi Configurations	12-13
Propane Floor Machines	14-15
Propane Floor Machines	16-17
HERO	18-19
T1 Low Speed Floor Machine	20-21
R25 Wet Dry Vacuum	22-23
Z5 Planetary Floor Machine	24-25
HERO Polishing System	26-27

## Our Vision

We believe that tomorrow can, and will, be better than today. But, it won't happen on its own. The future starts with you.

## Our Mission

Our mission is to deliver fast, simple, reliable products that empower you to become your best.

## Our Soul

We are real people with a drive to solve real problems. No fluff. No frills. We show up with grit, heart, and hustle, and we believe that helping you become your best allows us to do the same.



# FLOOR SCRUBBERS

Clean smarter with ONYX battery-powered floor scrubbers.

Built for performance and engineered for reliability, our scrubbers deliver deep, consistent cleaning—fast. Outfitted with maintenance-free AGM batteries, rugged cast aluminum heads, and durable steel frames, they're designed to tackle the toughest grime with ease. High-capacity solution and recovery tanks keep you cleaning longer with fewer stops, while powerful vacuum motors and oversized squeegees leave floors spotless, dry, and ready to impress.

Simple to operate and easy to service, ONYX scrubbers help your team stay productive with less downtime and less training.

## OVERSIZED SOLUTION TANKS

Large capacity solution and recovery tanks.

## QUIET AND RELIABLE

500 watt vacuum motor  
< 63 dBA sound level

## MAINTENANCE FREE BATTERIES

Fully sealed AGM  
Maintenance Free Batteries  
with 3-5 hour runtime.



## HEAVY DUTY CONSTRUCTION

Reinforced Steel  
Frame & LDPE Body.  
Cast Aluminum  
Heads & wheel hubs.

## HASSLE-FREE MAINTENANCE

Simplified electrical  
systems for easy service  
and repair.

Battery Walk Behind Floor Scrubbers

Battery Ride-on Floor Scrubbers

ALL SCRUBBERS ARE  
SOLD STANDARD WITH  
DRIVER AND PADS



	<i><b>DX15</b></i>	<i><b>DX20 DX20T</b></i>	<i><b>DX26T</b></i>	<i><b>DX32T</b></i>	<i><b>RX20</b></i>	<i><b>RX26</b></i>	<i><b>RX32</b></i>	<i><b>RX34</b></i>
CLEANING WIDTH	15" Brush/Pad	20" Brush/Pad	26" Brush/Pad	32" Brush/Pad	20" Brush/Pad	26" Brush/Pad	32" Brush/Pad	34" Brush/Pad
SQUEEGEE WIDTH	24"	32"	32" or 42"	32" or 42"	32"	32" or 42"	32" or 42"	32" or 42"
PERFORMANCE	Up to 16,000 Sq Ft Per Hour	Up to 24,000 Sq Ft Per Hour	Up to 35,000 Sq Ft Per Hour	Up to 43,000 Sq Ft Per Hour	Up to 35,000 Sq Ft Per Hour	Up to 46,000 Sq Ft Per Hour	Up to 56,000 Sq Ft Per Hour	Up to 62,500 Sq Ft Per Hour
VACUUM MOTOR	500 watt	500 watt	500 watt	500 watt	500 watt	500 watt	500 watt	500 watt
SOUND LEVEL	< 63 dBA	< 63 dBA	< 63 dBA	< 63 dBA	< 63 dBA	< 63 dBA	< 63 dBA	< 63 dBA
BRUSH/PAD SPEED	180 RPM	180 RPM	180 RPM	180 RPM	180 RPM	180 RPM	180 RPM	180 RPM
BRUSH/PAD SIZE	15"	20"	13" x 2	16" x 2	20"	13" x 2	16" x 2	17" x 2
RUN TIME	3-4 Hours	3-4 Hours	4-5 Hours	4-5 Hours	3-4 Hours	5-6 Hours	5-6 Hours	5-6 Hours
HEAD PRESSURE	25 lbs	50-90 lbs	100 lbs	100 lbs	100 lbs	100 lbs	100 lbs	125 lbs
SOLUTION CAPACITY	7 Gallons	14 Gallons	17 Gallons	17 Gallons	17 Gallons	25 Gallons	25 Gallons	47 Gallons
RECOVERY CAPACITY	8 Gallons	16 Gallons	23 Gallons	23 Gallons	20 Gallons	34 Gallons	34 Gallons	51 Gallons
WEIGHT	205 lbs	290 lbs	460 lbs	460 lbs	485 lbs	940 lbs	950 lbs	1,270 lbs
BATTERY CAPACITY	24 volt, 2 x 12v 125 Ah	24 volt, 2 x 12v 125 Ah	24 volt, 4 x 6v 270 Ah	24 volt, 4 x 6v 270 Ah	24 volt, 2 x 12v 125 Ah	24 volt, 4 x 6v 270 Ah	24 volt, 4 x 6v 270 Ah	36 volt, 6 x 6v 270 Ah
DIMENSIONS	24"W x 40"L x 41"H	20"W x 49"L x 44"H	28"W x 53"L x 45"H	33"W x 53"L x 45"H	24"W x 49"L x 43"H	32"W x 53"L x 45"H	32"W x 53"L x 45"H	37"W x 67"L x 48"H



Cylindrical Machines

ALL SCRUBBERS ARE SOLD  
WITH A SET OF BRUSHES



	<i><b>DX20C</b></i>	<i><b>DX26C</b></i>	<i><b>RX30C</b></i>
CLEANING WIDTH	20" with dual Cylindrical Brushes	26" with dual Cylindrical Brushes	30" with dual Cylindrical Brushes
SQUEEGEE WIDTH	32"	32" or 42"	32" or 42"
PERFORMANCE	Up to 24,000 Sq Ft Per Hour	Up to 35,000 Sq Ft Per Hour	Up to 56,000 Sq Ft Per Hour
VACUUM MOTOR	500 watt	500 watt	500 watt
SOUND LEVEL	< 63 dBA	< 63 dBA	< 63 dBA
CYLINDER BRUSH SPEED	350 RPM	350 RPM	350 RPM
RUN TIME	3-4 Hours	4-5 Hours	5-6 Hours
SOLUTION CAPACITY	14 Gallons	17 Gallons	25 Gallons
RECOVERY CAPACITY	16 Gallons	23 Gallons	34 Gallons
WEIGHT	350 lbs	700 lbs	950 lbs
BATTERY CAPACITY	24 volt, 2 x 12v 125 Ah	24 volt, 4 x 6v 270 Ah	24 volt, 4 x 6v 270 Ah
DIMENSIONS	20"W x 49"L x 44"H	28"W x 53"L x 45"H	32"W x 53"L x 45"H

As facility flooring evolves — from traditional vinyl to modular and luxury systems — so must your cleaning equipment. Cylindrical scrubbers are the modern solution for today’s hybrid, design-forward, and safety-critical floors.

What floors benefit most from cylindrical scrubbers? Luxury Vinyl Tile, modular flooring, textured epoxy, and tile floors with grout lines all benefit from the deep-cleaning action of cylindrical brushes.

They not only protect your investment but also reduce labor, save water, and enhance sustainability. Whether you manage a school, airport, warehouse, or retail store, ONYX cylindrical scrubbers like the DX20C, DX26C, and RX30C provide the performance and reliability your floors demand.

# LITHIUM POWER

## LFP Lithium Battery Burnishers

Step into the future of burnishing with the SXi from ONYX. Imagine a high-performance machine crafted to deliver the pristine, lustrous gloss your clients demand—without the noise and fumes of propane or the underwhelming results of older electric models. Powered by advanced lithium technology, the SXi combines unmatched power with extended runtime, allowing you to cover large areas on a single charge while enjoying the freedom, convenience, and immense productivity gains of cordless operation—saving significant time and labor costs for your business. You’ll be blown away by the SXi’s whisper-quiet performance, smooth control, and patented dust collection system, which captures fine particles and improves indoor air quality for your clients. More than just a machine, the SXi is a tool designed specifically to elevate your business to new heights and help you achieve unmatched success—one beautiful floor at a time.

### OVERSIZED SOLUTION TANKS

Large capacity 10 gallon solution tank.

### HEAVY DUTY CONSTRUCTION

Reinforced Steel Frame & LDPE Body. Industrial grade bearings.

### WHISPER QUIET

Perfect for professional, educational, and health care facilities.

**SXi**  
LITHIUM  
POWERED  
BURNISHER,  
POLISHER, &  
STRIPPER

### LITHIUM IRON PHOSPHATE (LFP) BATTERY TECHNOLOGY

Onboard smart battery charger. Lithium power. Fast recharge time.

### 5 HORSEPOWER MOTOR

Powerful performance to achieve “wet-look” gloss.

### ADJUSTABLE PAD PRESSURE

Adjustable pad pressure with fine-tune increments. Variable motor/pad speed. Easy removable pad driver.

THE FUTURE STARTS WITH YOU



# PRODUCT LINE SUMMARY

Lithium-ion Burnisher Configurations



	Burnisher Configuration	Stripper Configuration	Polisher Configuration
WORKING WIDTH	21", 24", or 27" Pad	21" Brush/Pad	21", 24", or 27" Pad
PERFORMANCE	Up to 34,000 Sq Ft Per Hour	Up to 8,000 Sq Ft Per Hour	Up to 8,000 Sq Ft Per Hour
MOTOR POWER	5 HP (3.75 kw)	5 HP (3.75 kw)	5 HP (3.75 kw)
SOUND LEVEL	< 63 dBA	< 63 dBA	< 63 dBA
HEAD SPEED	Variable 600 – 1,800 RPM	Variable 600 – 1,800 RPM	Variable 600 – 1,800 RPM
RUN TIME (SINGLE)	2 Hours*	2 Hours*	2 Hours*
RUN TIME (DOUBLE)	4 Hours*	4 Hours*	4 Hours*
HEAD PRESSURE	20-120 lbs (variable)	20-120 lbs (variable)	20-120 lbs (variable)
SOLUTION CAPACITY	N/A	10 Gallons	10 Gallons
WEIGHT	245 lbs	255 lbs	270 lbs
BATTERY CAPACITY (SINGLE)	60 AH = 4.32 kWH	60 AH = 4.32 kWH	60 AH = 4.32 kWH
BATTERY CAPACITY (DOUBLE)	120 AH = 8.64 kWH	120 AH = 8.64 kWH	120 AH = 8.64 kWH
DIMENSIONS	29"W x 64"L x 42"H	29"W x 64"L x 42"H	29"W x 64"L x 42"H

\* Under normal condition, actual runtime may vary.

# PROPANE FLOOR MACHINES

Propane Floor Strippers,  
Burnishers and Polishers

Propane Burnishers are designed for speed and safety. Available in 21", 24", or 27" sizes, our propane machines burnish vinyl tile, terrazzo, and concrete floors.

The patented floating shroud eliminates airborne dust keeping store shelves clean and operators safe. The patented variable jet fuel system reduces emissions and is certified as 53% cleaner than any engine in its class.

## NEAR ZERO EMISSIONS

Certified 100x below EPA  
Carbon Monoxide stds  
Lowest carbon emissions  
in its class, by 53%.  
On-board real-time  
emissions monitoring with  
SAM Safe Air Monitor.

## FAST & RELIABLE

Tool-less pad  
driver removal.  
Quick wheel  
& handle  
adjustment.

## BEST IN CLASS PRODUCTIVITY

Fuel system requires no  
adjustments.  
Internal vaporizer eliminates  
regulator freezing.  
In-line fuel filter.


## HEAVY DUTY CONSTRUCTION

Reinforced Steel  
Frame & LDPE Body.  
Industrial grade  
bearings.





Propane Floor Machines - Burnishers & Strippers



**JX7-600**  
Burnisher

**JX7-700**  
Burnisher

**TX1**  
Stripper

**TX7**  
Stripper

**ZX7**  
Polisher

**Z5**  
Polisher

WORKING WIDTH	21", 24", or 27",	21", 24", or 27",	21"	27"	27"	30"
ENGINE	603cc 17 HP	708cc 19 HP	708cc 19 HP	708cc 19 HP	708cc 19 HP	708cc 19 HP
PERFORMANCE	Up to 34,000 Sq Ft Per Hour	Up to 34,000 Sq Ft Per Hour	Up to 8,000 Sq Ft Per Hour	Up to 10,000 Sq Ft Per Hour	Up to 34,000 Sq Ft Per Hour	Up to 30,000 Sq Ft Per Hour
SOUND LEVEL	< 87 dBA	< 87 dBA	< 87 dBA	< 87 dBA	< 87 dBA	< 87 dBA
HEAD SPEED	1000-1800 RPM	1000-1800 RPM	570-1030 RPM	540-1080 RPM	570-1030 RPM	700-1400 RPM
PAD/ABRASIVES SIZE	21", 24" & 27"	21", 24" & 27"	21"	10" x 3	27"	11" x 3
RUN TIME	6 Hours Per 20 lb Cylinder	6 Hours Per 20 lb Cylinder	6 Hours Per 20 lb Cylinder	6 Hours Per 20 lb Cylinder	6 Hours Per 20 lb Cylinder	6 Hours Per 20 lb Cylinder
DIMENSIONS	28"W x 53"L x 40-48"H	28"W x 53"L x 40-48"H	21"W x 53"L x 40-48"H	30"W x 53"L x 40-48"H	28"W x 53"L x 40-48"H	34"W x 75"L x 42"H
FRAME	Powder Coated Reinforced Steel	Powder Coated Reinforced Steel	Powder Coated Reinforced Steel	Powder Coated Reinforced Steel	Powder Coated Reinforced Steel	Powder Coated Reinforced Steel
WEIGHT	280 lbs	295 lbs	450 lbs	450 lbs	295 lbs	620 lbs
IGNITION SYSTEM	12v Electric Start	12v Electric Start	12v Electric Start	12v Electric Start	12v Electric Start	12v Electric Start



HERO™



BUILT FOR BATTLE  
CLEAN LIKE A LEGEND  
CONQUER DIRTY FLOORS

We believe that tomorrow can, and will, be better  
than today.

But, it takes a hero to change the world.

It takes you.

BECOME HERO™





# T1

## LOW SPEED FLOOR MACHINE

HEAD SIZES	13, 17, 20 Inch (interchangeable)
MOTOR POWER	1.5 HP
RPM	175
VOLTAGE	110-120V (AC)
POWER CORD	50 ft, 14/3 STO Yellow
TRANSMISSION	Triple Planetary, Cast Iron w/ Hardened Steel Gears
HANDLE LENGTH	42 Inch
SOLUTION TANK	4 Gal Tank Available
WEIGHT KIT	28 & 50 Lb Kits Available
DUST PORT & SKIRT	Available
HEADLIGHT	LED Light Strip Included

### LED LIGHT

Brightens work area for safety and comfort.

### INDUSTRIAL

Square tubing handle.

### WATER TANK

4 Gallon water tank.

### TRANSMISSION

Triple Planetary, Cast Iron w/ Hardened Steel Gears

### ADDITIONAL WEIGHT KIT

28 lb under deck  
50 lb above motor

### VERSATILE

Quickly swap between 20, 17, 13 inch.

### SAFE & CLEAN

Skirt for dust and splash control.





**R25**

**WET DRY VACUUM**

RECOVERY VOLUME	True 25 Gal
MOTOR POWER	1250 W (1.7 HP)
SQUEEGEE WIDTH	29 inch
VOLTAGE	110-120V (AC)
POWER CORD	50 ft, 14/3 SJTOW, Yellow
INLET HOSE	1.5 Inch
DRAIN HOSE	1.5 Inch
TIP & POUR DRAIN	4.0 Inch
TRANSPORT WHEEL	10 inch, Solid Rubber
HEADLIGHT	Dual LED Headlight Available

**ERGONOMIC**

Comfort grips.

**HEADLIGHTS**

Brightens work area for safety and comfort.

**FAST DRAIN**

Drain hose AND  
Tip & Pour.

**HUGE**

Industry-best 25  
gallons recovery.

**INNOVATIVE**

Air enters head  
high above water,  
to eliminate water  
ingestion.

**TOOLESS**

Squeegee blade  
replacement.

**OPTIMIZED**

Extreme water  
pickup.






# Z5

## PLANETARY FLOOR MACHINE

PRODUCT FUNCTION	Floor Polishing   Honing   Grinding Deep Cleaning   Stripping   Rejuvenation
PRODUCTIVITY RATE	30,000 SqFt per hour for deep cleaning and stripping, 4000 SqFt per hour per polishing step
POWER	LX700 19hp Propane Engine
HEAD MOTION	Active (Driven) Triple Planetary
WORKING WIDTH	30"
PAD/BRUSH SIZE	11" x 3
PAD/BRUSH ROTATION SPEED	700 - 1400 RPM (Standard)
PLANETARY RATIO	12 Satellite Rotations : 1 Drum Rotation
HEAD PRESSURE	130-330 lbs
WEIGHT KIT	2 x 50 lbs Swing Weights
SOLUTION TANK CAPACITY	12 Gallon
OPERATION MODE	Walk-Behind Pad Assist
MACHINE WHEELS	10 inch Solid Rubber w/ Aluminum Hub
SOUND LEVEL	Less than 87 dBA
RUN TIME	6 Hours Per 20lb Propane Cylinder
WEIGHT	620 lbs
WARRANTY	3 Years, 90 days on wear items





## POLISHING SYSTEM

**THE MACHINE** – **HERO** Z5 high speed active planetary maximizes productivity.

**THE PADS** – **HERO** Z-PADS are heavy-duty diamond pads designed for easy use and superior performance on concrete and terrazzo floors.




## THE PROTECTION –

**HERO FORGE**  
Densifies and hardens floor for durability and dustproofing



**HERO SHIELD**  
Seals and protects floor from spills & stains



## WHY THE HERO POLISHING SYSTEM

The HERO Polishing System was built to make floor polishing easier, faster, and more profitable — for everyone. Whether you're a seasoned contractor or a first-time operator, HERO turns the complex process of polishing concrete and terrazzo into a simple, repeatable system that delivers superior results every time.

**FAST** – With 2X the tooling speed of traditional planetary machines and the cordless freedom of propane power, the HERO Z5 lets you complete jobs in less time. Faster passes increase productivity and lower labor costs — without sacrificing quality.

**SIMPLE** – The active planetary motion of the Z5 and the Z Diamond Pads work together to deliver consistent, even results across any floor. There's no complicated setup or endless tooling changes — just one straightforward process.

**SUPERIOR RESULTS** – The HERO Polishing System produces uniform, high-gloss floors with exceptional clarity and depth — whether you're working on new concrete or restoring old, worn surfaces. Your customers notice the difference immediately: brighter, cleaner, and more professional floors that last.

With HERO, you don't just polish floors, you

**BECOME HERO™**

with your customers by delivering superior floors in less time and at a lower cost.



# ONYX®

THE FUTURE STARTS WITH YOU



SCAN ME

12605 Commerce Station Dr • Suite 700  
Huntersville, NC 28078  
704.827.9368

**ONYXSOLUTIONS.COM**  
info@onyxsolutions.com